


Palm1.0004

Palm1.0004 Analysis (1)

Analyzed at 7/15/2013 9:07:56 PM

Energy Analysis Result



Building Performance Factors

Location:	Rome, Lazio
Weather Station:	160000
Outdoor Temperature:	Max: 35°C/Min: -2°C
Floor Area:	4,388 m²
Exterior Wall Area:	5,605 m²
Average Lighting Power:	7.53 W / m²
People:	110 people
Exterior Window Ratio:	0.50
Electrical Cost:	\$0.28 / kWh
Fuel Cost:	\$1.41 / Therm

Energy Use Intensity

Electricity EUI:	189 kWh / sm / yr
Fuel EUI:	772 MJ / sm / yr
Total EUI:	1,453 MJ / sm / yr

Life Cycle Energy Use/Cost

Life Cycle Electricity Use:	24,882,723 kWh
Life Cycle Fuel Use:	101,680,264 MJ
Life Cycle Energy Cost:	\$3,733,924


^{*30-}year life and 6.1% discount rate for costs

Renewable Energy Potential


Roof Mounted PV System (Low efficiency):	121,450 kWh / yr
Roof Mounted PV System (Medium efficiency):	242,900 kWh / yr
Roof Mounted PV System (High efficiency):	364,350 kWh / yr
Single 15' Wind Turbine Potential:	1,054 kWh / yr

^{*}PV efficiencies are assumed to be 5%, 10% and 15% for low, medium and high efficiency systems


Annual Carbon Emissions




Annual Energy Use/Cost




Energy Use: Fuel




Energy Use: Electricity




Potential Energy Savings



Monthly Heating Load




Monthly Cooling Load




Monthly Fuel Consumption




Monthly Electricity Consumption




Monthly Peak Demand




Annual Wind Rose (Speed Distribution)




Annual Wind Rose (Frequency Distribution)







Monthly Design Data




Annual Temperature Bins



Diurnal Weather Averages



Humidity



© Copyright 2013 Autodesk, Inc. All rights reserved. Portions of this software are copyrighted by James J. Hirsch & Associates, the Regents of the University of California, and others.

Energy Analysis Data