

TABLE: Element Forces - Frames

Frame	Station	OutputCase	P	M2	M3
TRAVIS C	m	Text	KN	KN-m	KN-m
160	4	SLU	0	7,716E-16	-4,8641
163	4	SLU	0	7,716E-16	-4,6518
159	0	SLU	0	5,829E-16	-4,538
91	4	SLU	0	-2,165E-16	-4,4542
157	4	SLU	0	7,716E-16	-4,4206
162	0	SLU	0	5,829E-16	-4,3864
165	0	SLU	0	5,829E-16	-4,262
94	4	SLU	0	-2,165E-16	-4,2591
23	4	SLU	0	5,135E-17	-4,1449
26	4	SLU	0	5,135E-17	-3,9765
93	0	SLU	0	0	-3,8262
92	4	SLU	0	-1,943E-17	-3,7411
29	4	SLU	0	5,135E-17	-3,6913
96	0	SLU	0	0	-3,6512
25	0	SLU	0	-4,163E-17	-3,6396
24	4	SLU	0	1,527E-17	-3,5511
156	0	SLU	0	5,829E-16	-3,5158
97	4	SLU	0	-2,165E-16	-3,495
30	4	SLU	0	1,527E-17	-3,4716
161	4	SLU	0	2,22E-17	-3,4693
154	4	SLU	0	7,716E-16	-3,468
27	4	SLU	0	1,527E-17	-3,4559
28	0	SLU	0	-4,163E-17	-3,4525
98	4	SLU	0	-1,943E-17	-3,4516
95	4	SLU	0	-1,943E-17	-3,4508
21	4	SLU	0	1,527E-17	-3,4039
164	4	SLU	0	2,22E-17	-3,39
20	4	SLU	0	5,135E-17	-3,3646
155	4	SLU	0	2,22E-17	-3,363
155	0	SLU	0	-3,109E-16	-3,3532
158	4	SLU	0	2,22E-17	-3,3417
89	4	SLU	0	-1,943E-17	-3,3129
90	4	SLU	0	-3,109E-16	-3,3124
22	4	SLU	0	1,138E-16	-3,2296
158	0	SLU	0	-3,109E-16	-3,1867
161	0	SLU	0	-3,109E-16	-3,1763
31	0	SLU	0	-4,163E-17	-3,1742
88	0	SLU	0	-9,437E-17	-3,1736
88	4	SLU	0	-2,165E-16	-3,1623
89	0	SLU	0	-3,747E-16	-3,1034
21	0	SLU	0	5,69E-17	-3,0937
22	0	SLU	0	-4,163E-17	-3,0701
95	0	SLU	0	-3,747E-16	-3,0228
27	0	SLU	0	5,69E-17	-3,0222
164	0	SLU	0	-3,109E-16	-3,0201
90	0	SLU	0	0	-3,017
30	0	SLU	0	5,69E-17	-2,9653

20	0 SLU	0	2,082E-17	-2,9211
28	4 SLU	0	1,138E-16	-2,8789
99	0 SLU	0	0	-2,8505
98	0 SLU	0	-3,747E-16	-2,8296
25	4 SLU	0	1,138E-16	-2,7882
99	4 SLU	0	-3,109E-16	-2,7596
24	0 SLU	0	5,69E-17	-2,7034
96	4 SLU	0	-3,109E-16	-2,7021
93	4 SLU	0	-3,109E-16	-2,5712
31	4 SLU	0	1,138E-16	-2,5427
92	0 SLU	0	-3,747E-16	-2,4865
23	0 SLU	0	2,082E-17	-2,3698
26	0 SLU	0	2,082E-17	-2,3525
160	3,5 SLU	0	5,426E-16	-2,2189
91	0 SLU	0	-9,437E-17	-2,1589
94	0 SLU	0	-9,437E-17	-2,0839
97	0 SLU	0	-9,437E-17	-2,0658
91	3,5 SLU	0	-2,012E-16	-2,0351
159	0,5 SLU	0	4,011E-16	-2,0152
29	0 SLU	0	2,082E-17	-2,0011
157	3,5 SLU	0	5,426E-16	-1,9102
162	0,5 SLU	0	4,011E-16	-1,8568
94	3,5 SLU	0	-2,012E-16	-1,855
154	0 SLU	0	-1,06E-15	-1,8322
163	3,5 SLU	0	5,426E-16	-1,8065
156	4 SLU	0	-8,715E-16	-1,8059
23	3,5 SLU	0	4,753E-17	-1,7909
26	3,5 SLU	0	4,753E-17	-1,6413
93	0,5 SLU	0	-3,886E-17	-1,5371
165	0,5 SLU	0	4,011E-16	-1,5209
92	3,5 SLU	0	-6,384E-17	-1,4521
159	4 SLU	0	-8,715E-16	-1,4132
25	0,5 SLU	0	-2,22E-17	-1,401
96	0,5 SLU	0	-3,886E-17	-1,4004
157	0 SLU	0	-1,06E-15	-1,3946
29	3,5 SLU	0	4,753E-17	-1,3479
24	3,5 SLU	0	2,047E-17	-1,3129
161	3,5 SLU	0	-1,943E-17	-1,3005
30	3,5 SLU	0	2,047E-17	-1,2762
27	3,5 SLU	0	2,047E-17	-1,2695
95	3,5 SLU	0	-6,384E-17	-1,2652
28	0,5 SLU	0	-2,22E-17	-1,2486
98	3,5 SLU	0	-6,384E-17	-1,2417
21	3,5 SLU	0	2,047E-17	-1,2329
155	3,5 SLU	0	-1,943E-17	-1,2296
155	0,5 SLU	0	-2,692E-16	-1,2222
164	3,5 SLU	0	-1,943E-17	-1,2116
162	4 SLU	0	-8,715E-16	-1,2065
158	3,5 SLU	0	-1,943E-17	-1,1901
97	3,5 SLU	0	-2,012E-16	-1,1842

20	3,5 SLU	0	4,753E-17	-1,177
156	0,5 SLU	0	4,011E-16	-1,1699
89	3,5 SLU	0	-6,384E-17	-1,1545
90	3,5 SLU	0	-2,72E-16	-1,1433
154	3,5 SLU	0	5,426E-16	-1,1313
161	0,5 SLU	0	-2,692E-16	-1,0808
22	3,5 SLU	0	9,437E-17	-1,0775
158	0,5 SLU	0	-2,692E-16	-1,0739
88	0,5 SLU	0	-1,096E-16	-1,04
88	3,5 SLU	0	-2,012E-16	-1,0315
21	0,5 SLU	0	5,169E-17	-1,0003
89	0,5 SLU	0	-3,303E-16	-0,9974
31	0,5 SLU	0	-2,22E-17	-0,963
22	0,5 SLU	0	-2,22E-17	-0,9578
27	0,5 SLU	0	5,169E-17	-0,9442
95	0,5 SLU	0	-3,303E-16	-0,9441
164	0,5 SLU	0	-2,692E-16	-0,9342
90	0,5 SLU	0	-3,886E-17	-0,9218
30	0,5 SLU	0	5,169E-17	-0,8965
20	0,5 SLU	0	2,463E-17	-0,8444
28	3,5 SLU	0	9,437E-17	-0,8184
98	0,5 SLU	0	-3,303E-16	-0,7752
25	3,5 SLU	0	9,437E-17	-0,7624
160	0 SLU	0	-1,06E-15	-0,76
99	0,5 SLU	0	-3,886E-17	-0,707
96	3,5 SLU	0	-2,72E-16	-0,6886
24	0,5 SLU	0	5,169E-17	-0,6772
99	3,5 SLU	0	-2,72E-16	-0,6388
93	3,5 SLU	0	-2,72E-16	-0,5958
92	0,5 SLU	0	-3,303E-16	-0,5111
31	3,5 SLU	0	9,437E-17	-0,4895
23	0,5 SLU	0	2,463E-17	-0,4595
26	0,5 SLU	0	2,463E-17	-0,4233
91	0,5 SLU	0	-1,096E-16	-0,3137
91	3 SLU	0	-1,86E-16	-0,2252
94	0,5 SLU	0	-1,096E-16	-0,2236
160	3 SLU	0	3,136E-16	-0,1829
97	0,5 SLU	0	-1,096E-16	-0,1123
159	1 SLU	0	2,193E-16	-0,1016
29	0,5 SLU	0	2,463E-17	-0,0802
94	3 SLU	0	-1,86E-16	-0,0601
23	3 SLU	0	4,372E-17	-0,046
157	3 SLU	0	3,136E-16	-0,0089
162	1 SLU	0	2,193E-16	0,0637
26	3 SLU	0	4,372E-17	0,0847
154	0,5 SLU	0	-8,313E-16	0,0955
156	3,5 SLU	0	-6,897E-16	0,1125
93	1 SLU	0	-7,772E-17	0,1427
92	3 SLU	0	-1,082E-16	0,2277
25	1 SLU	0	-2,776E-18	0,2285

96	1 SLU	0	-7,772E-17	0,2413
161	3 SLU	0	-6,106E-17	0,2591
155	3 SLU	0	-6,106E-17	0,2946
155	1 SLU	0	-2,276E-16	0,2995
27	3 SLU	0	2,567E-17	0,3077
30	3 SLU	0	2,567E-17	0,3101
95	3 SLU	0	-1,082E-16	0,3113
24	3 SLU	0	2,567E-17	0,316
159	3,5 SLU	0	-6,897E-16	0,3284
21	3 SLU	0	2,567E-17	0,3288
28	1 SLU	0	-2,776E-18	0,3461
158	3 SLU	0	-6,106E-17	0,3522
164	3 SLU	0	-6,106E-17	0,3576
98	3 SLU	0	-1,082E-16	0,3591
157	0,5 SLU	0	-8,313E-16	0,3593
29	3 SLU	0	4,372E-17	0,3864
89	3 SLU	0	-1,082E-16	0,3947
20	3 SLU	0	4,372E-17	0,4014
161	1 SLU	0	-2,276E-16	0,4056
90	3 SLU	0	-2,331E-16	0,4166
158	1 SLU	0	-2,276E-16	0,4297
163	3 SLU	0	3,136E-16	0,4297
22	3 SLU	0	7,494E-17	0,4654
21	1 SLU	0	4,649E-17	0,4839
88	1 SLU	0	-1,249E-16	0,4844
88	3 SLU	0	-1,86E-16	0,4901
89	1 SLU	0	-2,859E-16	0,4994
97	3 SLU	0	-1,86E-16	0,5174
27	1 SLU	0	4,649E-17	0,5245
95	1 SLU	0	-2,859E-16	0,5253
162	3,5 SLU	0	-6,897E-16	0,5282
164	1 SLU	0	-2,276E-16	0,5426
22	1 SLU	0	-2,776E-18	0,5452
30	1 SLU	0	4,649E-17	0,5633
90	1 SLU	0	-7,772E-17	0,5643
156	1 SLU	0	2,193E-16	0,5669
154	3 SLU	0	3,136E-16	0,5961
165	4 SLU	0	-8,715E-16	0,6093
165	1 SLU	0	2,193E-16	0,611
20	1 SLU	0	2,845E-17	0,6232
28	3 SLU	0	7,494E-17	0,6329
31	1 SLU	0	-2,776E-18	0,6389
25	3 SLU	0	7,494E-17	0,6541
98	1 SLU	0	-2,859E-16	0,6701
96	3 SLU	0	-2,331E-16	0,7158
24	1 SLU	0	4,649E-17	0,7398
93	3 SLU	0	-2,331E-16	0,7703
99	1 SLU	0	-7,772E-17	0,8274
23	1 SLU	0	2,845E-17	0,8416
92	1 SLU	0	-2,859E-16	0,855

160	0,5 SLU	0	-8,313E-16	0,8592
99	3 SLU	0	-2,331E-16	0,8728
26	1 SLU	0	2,845E-17	0,8967
91	1 SLU	0	-1,249E-16	0,9224
31	3 SLU	0	7,494E-17	0,9546
91	2,5 SLU	0	-1,707E-16	0,9755
94	1 SLU	0	-1,249E-16	1,0275
163	0 SLU	0	-1,06E-15	1,0534
23	2,5 SLU	0	3,99E-17	1,0897
94	2,5 SLU	0	-1,707E-16	1,1256
26	2,5 SLU	0	3,99E-17	1,2015
159	1,5 SLU	0	3,747E-17	1,2028
155	2,5 SLU	0	-1,027E-16	1,2096
161	2,5 SLU	0	-1,027E-16	1,2096
155	1,5 SLU	0	-1,86E-16	1,2121
93	1,5 SLU	0	-1,166E-16	1,2134
29	1 SLU	0	2,845E-17	1,2315
97	1 SLU	0	-1,249E-16	1,232
160	2,5 SLU	0	8,465E-17	1,2439
25	1,5 SLU	0	1,665E-17	1,2487
96	1,5 SLU	0	-1,166E-16	1,2737
27	2,5 SLU	0	3,088E-17	1,2757
95	2,5 SLU	0	-1,527E-16	1,2786
21	2,5 SLU	0	3,088E-17	1,2814
161	1,5 SLU	0	-1,86E-16	1,2828
157	2,5 SLU	0	8,465E-17	1,2831
158	2,5 SLU	0	-1,027E-16	1,2854
30	2,5 SLU	0	3,088E-17	1,2872
92	2,5 SLU	0	-1,527E-16	1,2983
164	2,5 SLU	0	-1,027E-16	1,3176
158	1,5 SLU	0	-1,86E-16	1,3241
28	1,5 SLU	0	1,665E-17	1,3316
89	2,5 SLU	0	-1,527E-16	1,3346
24	2,5 SLU	0	3,088E-17	1,3358
98	2,5 SLU	0	-1,527E-16	1,3506
21	1,5 SLU	0	4,129E-17	1,359
90	2,5 SLU	0	-1,943E-16	1,3673
20	2,5 SLU	0	3,99E-17	1,3706
162	1,5 SLU	0	3,747E-17	1,375
27	1,5 SLU	0	4,129E-17	1,3841
95	1,5 SLU	0	-2,415E-16	1,3856
89	1,5 SLU	0	-2,415E-16	1,387
22	2,5 SLU	0	5,551E-17	1,3992
88	1,5 SLU	0	-1,402E-16	1,3996
88	2,5 SLU	0	-1,707E-16	1,4025
164	1,5 SLU	0	-1,86E-16	1,4101
30	1,5 SLU	0	4,129E-17	1,4138
154	1 SLU	0	-6,023E-16	1,414
156	3 SLU	0	-5,079E-16	1,4218
22	1,5 SLU	0	1,665E-17	1,4391

90	1,5 SLU	0	-1,166E-16	1,4412
159	3 SLU	0	-5,079E-16	1,4608
25	2,5 SLU	0	5,551E-17	1,4615
28	2,5 SLU	0	5,551E-17	1,475
20	1,5 SLU	0	3,227E-17	1,4815
157	1 SLU	0	-6,023E-16	1,5041
98	1,5 SLU	0	-2,415E-16	1,5061
96	2,5 SLU	0	-1,943E-16	1,5109
29	2,5 SLU	0	3,99E-17	1,5115
155	2 SLU	0	-1,443E-16	1,5155
93	2,5 SLU	0	-1,943E-16	1,5272
23	1,5 SLU	0	3,227E-17	1,5335
24	1,5 SLU	0	4,129E-17	1,5477
91	1,5 SLU	0	-1,402E-16	1,5493
161	2 SLU	0	-1,443E-16	1,5508
91	2 SLU	0	-1,554E-16	1,567
26	1,5 SLU	0	3,227E-17	1,6075
158	2 SLU	0	-1,443E-16	1,6093
97	2,5 SLU	0	-1,707E-16	1,6099
92	1,5 SLU	0	-2,415E-16	1,612
23	2 SLU	0	3,608E-17	1,6162
21	2 SLU	0	3,608E-17	1,6248
31	1,5 SLU	0	1,665E-17	1,6316
27	2 SLU	0	3,608E-17	1,6345
95	2 SLU	0	-1,971E-16	1,6367
162	3 SLU	0	-5,079E-16	1,6537
30	2 SLU	0	3,608E-17	1,6551
25	2 SLU	0	3,608E-17	1,6597
89	2 SLU	0	-1,971E-16	1,6654
164	2 SLU	0	-1,443E-16	1,6685
94	1,5 SLU	0	-1,402E-16	1,6694
93	2 SLU	0	-1,554E-16	1,6749
156	1,5 SLU	0	3,747E-17	1,6944
96	2 SLU	0	-1,554E-16	1,6969
94	2 SLU	0	-1,554E-16	1,7021
88	2 SLU	0	-1,554E-16	1,7056
28	2 SLU	0	3,608E-17	1,7079
90	2 SLU	0	-1,554E-16	1,7088
26	2 SLU	0	3,608E-17	1,7091
154	2,5 SLU	0	8,465E-17	1,7144
22	2 SLU	0	3,608E-17	1,7237
20	2 SLU	0	3,608E-17	1,7307
98	2 SLU	0	-1,971E-16	1,733
24	2 SLU	0	3,608E-17	1,7463
99	1,5 SLU	0	-1,166E-16	1,7525
92	2 SLU	0	-1,971E-16	1,7598
99	2,5 SLU	0	-1,943E-16	1,7753
31	2,5 SLU	0	5,551E-17	1,7895
160	1 SLU	0	-6,023E-16	1,8692
159	2 SLU	0	-1,443E-16	1,898

29	1,5 SLU	0	3,227E-17	1,934
157	2 SLU	0	-1,443E-16	1,966
97	1,5 SLU	0	-1,402E-16	1,9672
159	2,5 SLU	0	-3,261E-16	1,984
31	2 SLU	0	3,608E-17	2,0151
29	2 SLU	0	3,608E-17	2,0274
157	1,5 SLU	0	-3,733E-16	2,0396
163	2,5 SLU	0	8,465E-17	2,0566
160	2 SLU	0	-1,443E-16	2,0615
99	2 SLU	0	-1,554E-16	2,0685
162	2 SLU	0	-1,443E-16	2,0771
97	2 SLU	0	-1,554E-16	2,0931
156	2,5 SLU	0	-3,261E-16	2,1218
154	1,5 SLU	0	-3,733E-16	2,1233
165	3,5 SLU	0	-6,897E-16	2,1326
165	1,5 SLU	0	3,747E-17	2,1337
162	2,5 SLU	0	-3,261E-16	2,17
156	2 SLU	0	-1,443E-16	2,2127
154	2 SLU	0	-1,443E-16	2,2235
160	1,5 SLU	0	-3,733E-16	2,27
163	0,5 SLU	0	-8,313E-16	2,4725
165	3 SLU	0	-5,079E-16	3,0466
165	2 SLU	0	-1,443E-16	3,0472
163	2 SLU	0	-1,443E-16	3,0744
163	1 SLU	0	-6,023E-16	3,2823
165	2,5 SLU	0	-3,261E-16	3,3515
163	1,5 SLU	0	-3,733E-16	3,4829

Frame	Station	OutputCase	P	M2	M3
TRAVI S BORDO	m	Text	KN	KN-m	KN-m
153	0	SLU	0	5,83E-16	-22,2536
151	4	SLU	0	7,72E-16	-22,1089
17	4	SLU	0	5,14E-17	-21,1034
152	0	SLU	0	-3,1E-16	-20,9505
87	0	SLU	0	0	-20,9101
19	0	SLU	0	-4,2E-17	-20,8853
85	4	SLU	0	-2,2E-16	-20,8705
152	4	SLU	0	2,22E-17	-20,8139
18	4	SLU	0	1,53E-17	-20,661
86	0	SLU	0	-3,7E-16	-20,5225
86	4	SLU	0	-1,9E-17	-20,4791
18	0	SLU	0	5,69E-17	-20,4594
57	4	SLU	0	1,53E-17	-19,9811
57	0	SLU	0	5,69E-17	-19,8675
125	4	SLU	0	-1,9E-17	-19,7827
125	0	SLU	0	-3,7E-16	-19,6473
191	4	SLU	0	2,22E-17	-19,574
191	0	SLU	0	-3,1E-16	-19,4997
19	4	SLU	0	1,14E-16	-19,1715
85	0	SLU	0	-9,4E-17	-19,0852
87	4	SLU	0	-3,1E-16	-19,0406
56	4	SLU	0	5,14E-17	-18,98
17	0	SLU	0	2,08E-17	-18,9403
58	0	SLU	0	-4,2E-17	-18,8466
124	4	SLU	0	-2,2E-16	-18,5592
126	0	SLU	0	0	-18,3859
190	4	SLU	0	7,72E-16	-17,9206
192	0	SLU	0	5,83E-16	-17,8141
151	0	SLU	0	-1,1E-15	-15,1103
153	4	SLU	0	-8,7E-16	-14,9443
126	4	SLU	0	-3,1E-16	-14,3994
124	0	SLU	0	-9,4E-17	-14,1457
58	4	SLU	0	1,14E-16	-14,0787
56	0	SLU	0	2,08E-17	-13,8885
192	4	SLU	0	-8,7E-16	-13,6473
190	0	SLU	0	-1,1E-15	-13,4792
153	0,5	SLU	0	4,01E-16	-7,8678
151	3,5	SLU	0	5,43E-16	-7,7619
152	0,5	SLU	0	-2,7E-16	-7,4613
17	3,5	SLU	0	4,75E-17	-7,3609
152	3,5	SLU	0	-1,9E-17	-7,3588
87	0,5	SLU	0	-3,9E-17	-7,2043
19	0,5	SLU	0	-2,2E-17	-7,1989
85	3,5	SLU	0	-2E-16	-7,1751
18	3,5	SLU	0	2,05E-17	-7,1636
86	0,5	SLU	0	-3,3E-16	-7,0449
18	0,5	SLU	0	5,17E-17	-7,0124

86	3,5 SLU	0	-6,4E-17	-7,0123
57	3,5 SLU	0	2,05E-17	-6,4947
57	0,5 SLU	0	5,17E-17	-6,4095
125	3,5 SLU	0	-6,4E-17	-6,2936
125	0,5 SLU	0	-3,3E-16	-6,192
191	3,5 SLU	0	-1,9E-17	-6,0926
191	0,5 SLU	0	-2,7E-16	-6,0368
19	3,5 SLU	0	9,44E-17	-5,9136
85	0,5 SLU	0	-1,1E-16	-5,8362
87	3,5 SLU	0	-2,7E-16	-5,8021
17	0,5 SLU	0	2,46E-17	-5,7385
56	3,5 SLU	0	4,75E-17	-4,8714
58	0,5 SLU	0	-2,2E-17	-4,7784
124	3,5 SLU	0	-2E-16	-4,5353
126	0,5 SLU	0	-3,9E-17	-4,4154
190	3,5 SLU	0	5,43E-16	-3,8932
192	0,5 SLU	0	4,01E-16	-3,821
151	0,5 SLU	0	-8,3E-16	-2,5129
153	3,5 SLU	0	-6,9E-16	-2,3858
126	3,5 SLU	0	-2,7E-16	-1,4256
124	0,5 SLU	0	-1,1E-16	-1,2252
58	3,5 SLU	0	9,44E-17	-1,2025
56	0,5 SLU	0	2,46E-17	-1,0528
192	3,5 SLU	0	-6,9E-16	-0,696
190	0,5 SLU	0	-8,3E-16	-0,5622
152	1 SLU	0	-2,3E-16	2,1788
152	3 SLU	0	-6,1E-17	2,2471
18	3 SLU	0	2,57E-17	2,4846
17	3 SLU	0	4,37E-17	2,5325
86	1 SLU	0	-2,9E-16	2,5835
18	1 SLU	0	4,65E-17	2,5854
86	3 SLU	0	-1,1E-16	2,6052
19	1 SLU	0	-2,8E-18	2,6383
87	1 SLU	0	-7,8E-17	2,6524
153	1 SLU	0	2,19E-16	2,6689
85	3 SLU	0	-1,9E-16	2,671
151	3 SLU	0	3,14E-16	2,736
57	3 SLU	0	2,57E-17	3,1425
57	1 SLU	0	4,65E-17	3,1993
125	3 SLU	0	-1,1E-16	3,3463
125	1 SLU	0	-2,9E-16	3,4141
19	3 SLU	0	7,49E-17	3,4952
191	3 SLU	0	-6,1E-17	3,5397
85	1 SLU	0	-1,2E-16	3,5636
191	1 SLU	0	-2,3E-16	3,5769
87	3 SLU	0	-2,3E-16	3,5872
17	1 SLU	0	2,85E-17	3,6141
56	3 SLU	0	4,37E-17	5,388
58	1 SLU	0	-2,8E-18	5,4406
124	3 SLU	0	-1,9E-16	5,6393

126	1 SLU	0	-7,8E-17	5,7059
151	1 SLU	0	-6E-16	6,2352
190	3 SLU	0	3,14E-16	6,2849
192	1 SLU	0	2,19E-16	6,3228
153	3 SLU	0	-5,1E-16	6,3235
126	3 SLU	0	-2,3E-16	7,6991
58	3 SLU	0	7,49E-17	7,8245
124	1 SLU	0	-1,2E-16	7,8461
56	1 SLU	0	2,85E-17	7,9338
152	1,5 SLU	0	-1,9E-16	7,9697
152	2,5 SLU	0	-1E-16	8,0038
18	2,5 SLU	0	3,09E-17	8,2836
18	1,5 SLU	0	4,13E-17	8,334
86	1,5 SLU	0	-2,4E-16	8,3627
86	2,5 SLU	0	-1,5E-16	8,3736
192	3 SLU	0	-5,1E-16	8,4062
190	1 SLU	0	-6E-16	8,5056
17	2,5 SLU	0	3,99E-17	8,5767
19	1,5 SLU	0	1,67E-17	8,6263
87	1,5 SLU	0	-1,2E-16	8,6599
85	2,5 SLU	0	-1,7E-16	8,6679
57	2,5 SLU	0	3,09E-17	8,9305
57	1,5 SLU	0	4,13E-17	8,9589
19	2,5 SLU	0	5,55E-17	9,0548
85	1,5 SLU	0	-1,4E-16	9,1143
17	1,5 SLU	0	3,23E-17	9,1175
87	2,5 SLU	0	-1,9E-16	9,1273
125	2,5 SLU	0	-1,5E-16	9,1371
125	1,5 SLU	0	-2,4E-16	9,1709
191	2,5 SLU	0	-1E-16	9,3228
191	1,5 SLU	0	-1,9E-16	9,3414
153	1,5 SLU	0	3,75E-17	9,3563
151	2,5 SLU	0	8,47E-17	9,3846
152	2 SLU	0	-1,4E-16	9,9114
18	2 SLU	0	3,61E-17	10,2334
86	2 SLU	0	-2E-16	10,2928
19	2 SLU	0	3,61E-17	10,7651
17	2 SLU	0	3,61E-17	10,7717
85	2 SLU	0	-1,6E-16	10,8157
87	2 SLU	0	-1,6E-16	10,8182
57	2 SLU	0	3,61E-17	10,8693
125	2 SLU	0	-2E-16	11,0786
151	1,5 SLU	0	-3,7E-16	11,1342
153	2,5 SLU	0	-3,3E-16	11,1837
191	2 SLU	0	-1,4E-16	11,2567
56	2,5 SLU	0	3,99E-17	11,7983
58	1,5 SLU	0	1,67E-17	11,8103
124	2,5 SLU	0	-1,7E-16	11,9648
126	1,5 SLU	0	-1,2E-16	11,978
151	2 SLU	0	-1,4E-16	12,184

153	2 SLU	0	-1,4E-16	12,1946
190	2,5 SLU	0	8,47E-17	12,6139
192	1,5 SLU	0	3,75E-17	12,6174
126	2,5 SLU	0	-1,9E-16	12,9746
58	2,5 SLU	0	5,55E-17	13,0023
124	1,5 SLU	0	-1,4E-16	13,0682
56	1,5 SLU	0	3,23E-17	13,0711
192	2,5 SLU	0	-3,3E-16	13,6591
190	1,5 SLU	0	-3,7E-16	13,7242
58	2 SLU	0	3,61E-17	14,3309
56	2 SLU	0	3,61E-17	14,3593
126	2 SLU	0	-1,6E-16	14,4009
124	2 SLU	0	-1,6E-16	14,4411
192	2 SLU	0	-1,4E-16	15,0629
190	2 SLU	0	-1,4E-16	15,0937